



						18 (1)	19 (2)	20 (3)	21 (4)	22 (5)	23 (6)	24 (7)	25 (1)	26 (2)	27 (3)	28 (4)	29 (5)	30 (6)	31 (7)	
PIA777/8		--3--6-	LHE-DXB-GLG-DXB-LHE	16.40/18.45	AP-			BEB			BEB				BEB			BEQ		
RYR7642/3		----5-7	PIK-WRO-PIK	06.35/11.30	EI-					DAP		DAS					DAP		DHP	
RYR7642/3		-2----	PIK-WRO-PIK	07.20/12.15	EI-		DAP							DHO						
RYR7832/3		1-3-5-7	PIK-NRN-PIK	14.40/17.40	EI-	DAP		CSV/-		-/DHP		DHO			CSV/-		DHP		DLB	
RYR7852/3		-2-4-6-	PIK-KRK-PIK	07.10/12.50	EI-		DPC		DAP							-/CSV		DAL		
RYR7892/3	789P/789S	---4---	PIK-GSE-PIK	08.05/11.30	EI-				-/DAS							DAP				
RYR7892/3	789P/789S	1----6-	PIK-GSE-PIK	09.35/13.00	EI-	DCF/-					DLK							CSV/-		
RYR7923/4		1234567	CRL-PIK-CRL	11.15/12.15	EI-	CSI		CSI		CSI		-/DHX			DLM		DLM		DCT	
RYR9618/9		1-3-5--	LPL-TRF-LPL	14.50/22.20	EI-	DAZ		DLE/-		DPD					DCM		DHG			
RYR9618/9		-----7	LPL-TRF-LPL	15.15/22.45	EI-															
SAS1541/2		-23-5--	CPH-MAN-CPH	12.50/14.05			DIL	DIF		RMO										
SAS2533/4		-----67	CPH-BHX-CPH	09.10/10.30	-						KCD								KCD	
SAS2533/4		12345--	CPH-BHX-CPH	09.45/11.15	-	KHU	DIS	RMP	RMP	DIF					KHU	DIF	DIC			
SAS2535/6		12345--	CPH-BHX-CPH	17.50/19.05	-	RDH	RDE	RDK	KCD	RDH										
SAS2547/8		12345--	ARN-MAN-ARN	08.55/10.20	-	RRR	RPW	Non-op	Non-op	Non-op										
SAS2549/50		12345-7	ARN-MAN-ARN	17.40/19.05		RPY	DTH	DTH	RPW	RRO										
SAS539/40		1234567	CPH-MAN-CPH	08.55/10.10	-	DIN	DIP (Dv	DIU	ROY	ROM	KBP				KBF	DIU	DIU	DMB	RMP	ROS
SAS541/2		1234567	CPH-MAN-CPH	18.10/19.25	-	DIF	KBP	KBP	ROM	KBO	RML				KBP	ROY	ROY	KBB	DMB	
SAS4609/8	CNO609/8	12345-7	OSL-MAN-OSL	10.10/11.35	LN-	RCT		RCT	RCT	RPU						RNO	RPK	-/RRM		
SDR01B/02B		12345--	GSE-MAN-GSE	08.00/09.10	SE-	RAA	PH-RXE	DZB	PH-RXE	DZB										
SDR05B/06B		12345-7	GSE-MAN-GSE	18.00/19.15	SE-	RAA	PH-RXE	DZB	RAB	RAA					PH-RXE	RAC		RAC		
SDR11E/12E		12345--	GSE-BHX-GSE	07.55/09.20	SE-		RAA			PH-RXB										
SDR15E/16E		12345-7	GSE-BHX-GSE	17.55/19.20	SE-															
TCX058K/L		--3----	GLG-LCA-GLG	09.30/20.20	G-			FCLJ												
TCX162K/L		-2-----	GLG-PFO-GLG	10.00/19.55	G-															
TCX417K/L*		-----7	GLG-AYT-GLG*	20.35/06.15*	G-															
TCX549K/L		-----7	GLG-SSH-GLG	10.15/22.30	G-							FCLJ								
TCX693K/L		1-----	GLG-SSH-GLG	09.45/22.00	G-															
TOM4041/2	041H/042H	--3----	GLG-PFO-GLG	09.50/20.25	G-			BYAD								BYAD				
TOM4541/2	541J/542J	---4---	GLG-SSH-GLG	09.35/21.45	G-				BYAD								BYAD			
TRA5901/2		-2-45--	AMS-PIK-AMS	15.30/16.40	PH-		XRE		XRW	XRB					XRV		XRV	XRE		
TRA5901/2		-----67	AMS-PIK-AMS	15.00/16.10	PH-						XRW	HZN							XRV	XRC
TRA5901/2		1-3----	AMS-PIK-AMS	11.10/12.20	PH-	HZD		XRE								XRE				
UAE025/6		1234567	DXB-GLG-DXB	11.15/13.30	A6-	EML	EBH	EBN	EBP	EBA	EBA	EBA	EBA	EBA	EBL	EBG	EBL	EBL	EBA	EBD

(1) TRA5901 also reported as PH-XRW